FTC921 firmware change log

 $\underline{\text{Main Page}} > \underline{\text{Basic Trackers}} > \underline{\text{FTC921}} > \underline{\text{FTC921}}$ firmware change log

Contents

- 1 Introduction
- 2 Firmware versioning
- 3 Firmware versions

Introduction

We are always improving our device's performance, stability, and reliability. That's why Teltonika is one of the leading GNSS trackers manufacturers in the world.

This document describes **FTCXXX platform** devices firmware improvements, changes, new features implementations as well as current firmware release version.

Firmware versioning

• Structure

[X].[YY].[Z].rc.[##]

- Syntax description
 - ∘ X major FW version.
 - YY branch number, shows major changes in firmware, i.e. new module support added or new major feature added.
 - ZZ major changes like bigger fixes, improvements and new features addition.
 - ## minor changes like small fixes and improvements.

Firmware versions

VERSION	SUPPORTED HARDWARE
00.2X.Y-rc.Z	FTC9XY, FTC8XY
FIRMWARE VERSION	RELEASE DATE CHANGES

- NEW added the SMS "deleterecords"
- NEW added the SMS "getgps"
- NEW added the SMS "getio"
- NEW added the SMS "allver"
- NEW added the SMS "getstatus"
- NEW added the SMS "setdigout"
- NEW added the SMS "setparam"
- NEW added the SMS "getparam"
- NEW added the SMS "readayl"
- NEW added the SMS "cpureset"
- NEW added sent SMS counter
- NEW added sent records counter
- **NEW** added network ping timeout feature
- **NEW** added min max values of NTP resync period
- NEW added live satellite info
- **NEW** added battery charging modes
- NEW added critical sleep mode
- **NEW** added configurable APN settings and ability to disable mobile data
- **NEW** UDP protocol implemented
- Record loading speed improvement
- Record manager improvements. Records are sent immediately after generation when link is already open
- Fixed record generation period reconfig
- Fixed open link timeout calculation
- Fixed rec send triggering after movement status change
- Fixed data acquisition by speed units
- Fixed AIN value conversion
- Fixed odometer value saving
- Fixed instant movement detection
- Changed ignition to movement source for data acquisition
- SMS sending timeout fix
- modem IMEI recognition in roaming mode fix
- SMS command "setparam" stability improvements
- accelerometer initialization improvements
- modem stability improvements
- NEW added the SMS "getrecord"
- NEW added the SMS "web connect"
- NEW added the SMS "getinfo"
- NEW added accelerometer test command
- NEW added roaming mode change event
- accelerometer data validation improvements
- record sending improvements
- ignition check spam without timesync fix
- NEW added SMS password
- NEW added the SMS "extformat"
- NEW added the SMS "getver"
- Power management (sleep) improvements
- Subsequent connection to server failure timeout increase feature added
- DOUT stability improvements

0.26.2

0.22.0-rc.1

2024-02-13

Initial FTCXXX release