# FMB setdigout

Sets digital outputs to  $\mathbf{ON}$  or  $\mathbf{OFF}$  state.

SMS format: setdigout ## <timeoutY1> <timeoutY2> <speedZ1> <speedZ2>

#### Set digital output:

1. # - 0; 1 or ? (0 - OFF, 1 - ON, ? - Ignore) for DOUT1.

2. # - 0; 1 or ? (0 - OFF, 1 - ON, ? - Ignore) for DOUT2.

Y1 - timeout value for DOUT1 if needed (in seconds).

Y2 - timeout value for DOUT2 if needed (in seconds).

Z1 - maximum speed value for DOUT1 if needed.

Z2 - maximum speed value for DOUT2 if needed.

#### Note!

- Both, timeout and speed arguments are not mandatory and do not have to be included in the message.
- Timeout argument determines how long the state will be held.
- Speed argument determines the maximum speed threshold allowing command execution. If speed is higher than this threshold, command will be queued and executed when speed drops bellow this threshold.

# In order to leave state/timeout/speed unchanged, "?" symbol can be used:

Example: setdigout ?1

will leave DOUT1 state unchanged and set DOUT2 to high level for infinite time.

Example: setdigout 01 ? 60

will set DOUT1 to low level for infinite time and DOUT2 to high level for 60 seconds.

Example: setdigout 01 30 ? ? 30

will set DOUT1 to low level for 30 seconds and DOUT2 to high level for infinite time if speed is 30 km/h or lower.

## For devices with 1 digital output:

Example: setdigout 1 45

will set DOUT1 to high level for 45 seconds.

Example: setdigout 1 30 20

will set DOUT1 to high level for 30 seconds if speed is 20 km/h or lower.

## For devices with 2 digital outputs:

Example: setdigout 11

will set DOUT1 and DOUT2 to high level for infinite time.

Example: setdigout 01 30 60

will set DOUT1 to low level for 30 seconds and DOUT2 to high level for 60 seconds.

Example: setdigout 01 30 60 20 30

will set DOUT1 to low level for 30 seconds if speed is 20 km/h or lower and DOUT2 to high level for 60 seconds if speed is 30 km/h or lower.

# For devices with 3 digital output:

Example: setdigout 100

will set DOUT1 to high level for infinite time, DOUT2 to low level for infinite time and DOUT3 to low level for infinite time.

Example: setdigout 0?1 30 ? 20

will set DOUT1 to low level for 30 seconds, will leave DOUT2 state unchanged and set DOUT3 to high level for 20 seconds.

Example: setdigout 011 30 ? 20 10 30 30

will set DOUT1 to low level for 30 seconds if speed is 10 km/h or lower, DOUT2 to high level for infinite time if speed is 30 km/h or lower and DOUT3 to high level for 20 seconds if speed is 30 km/h or lower.