


ALL-CAN300

ADVANCED CAN ADPATER FOR SPECIAL TRANSPORT

ALL-CAN300 is designed to acquire data from special transport, agriculture and construction transport, light vehicles, vans, trucks and buses. With ALL-CAN300 you can easily get basic and additional 100 parameters from on-board computer such as door status, AdBlue level, Oil pressure/level, engine lifetime, airbag.



USE CASES













Main socket





Technical data

Supported by	FMB1YX, FMU1YX, FMC1YX, FMM1YX, FM36YX, FM63YX, FMB64X, FMC64X, FMM64X series
Input voltage range	9 - 63.5 V DC
	At 12 V < 0.4 mA (Standby)
Power consumption	At 12 V < 23.5 mA (Working)
	At 24 V < 0.33 mA (Standby)
	At 24 V < 11.5 mA (Woking)
Operating temperature range	-40°C to +85°C
Operating humidity	Max 85 % non-condensing
LED indication	1 status LED light
	Total fuel consumption
Features*	Fuel level (Dashboard)
	Vehicle mileage
	Door status
	Engine speed (RPM)
	Oil pressure/level status
	Acceleration position
	Engine temperature
	Vehicle speed
	Accelerator pedal position
	VIN number
	Lights status
	CNG level
	Total CNG consumption
	Engine is working on CNG status
	AdBlue level (Dashboard)
	Webasto
	Simple Tacho
	Seat belt status
	Check engine
	And more
	*Number of parameters depends on vehicle model, year and equipment.
Dimensions	41 x 33 x 14.5 mm
Weight	55 g