

FMB240 Autoscan feature instructions

[Main Page](#) > [CAN Trackers & Adapters](#) > [FMB240](#) > [FMB240 Manual](#) > **FMB240 Autoscan feature instructions**

Autoscan on init feature

Autoscan on init feature will only work with these conditions:

- Device has a program number 11120 or 11130;
- Ignition source is **DIN1** or **Power Voltage**;
- Ignition must be **ON**;

After device startup, autoscan will begin. It will scan for available program numbers with a timeout of 50 seconds. Autoscan feature will retry for 3 times in total. After that autoscan will be cancelled. If autoscan on init is successful it will take the first program number received and set it in internal CAN chip and device configuration. Thus, device will continue to work with that program number. The rest of program number list is not available and not displayed in configurator. Although, it can be received using sms command: *lvcanproglis*.

Using Autoscan manually

Autoscan is a feature that automatically finds the best program number for your vehicle. Here is a quick guide on how to use the *Autoscan* feature.

Step 1. Update FMB240 firmware to the newest FW version [FMB240 firmware errata](#).


Step 2. Find the OBD-II port (diagnostic connector) in your vehicle. Connect the FMB240 CAN1L and CAN1H wires to OBD-II Connector PIN14 and PIN6 respectively.



Step 3. After the connection is done successfully, launch the configurator and navigate to the CAN Adapter tab. Before clicking the Scan button, make sure that ignition is ON. FMB240 configured ignition source should be DIN1 or Power Voltage. Scan button will only be available if device is connected to the configurator.



After pressing the scan button configurator will wait up to 60 seconds for device to send up to 9 program numbers. If timeout is reached configurator will display an error. If no CAN bus connection is detected, configurator will return an error after pressing the scan button.

If scanning through OBD-II port (diagnostic connector) goes unsuccessfully, try connecting  CAN1L and CAN1H wires directly to vehicle CAN bus using [ECAN01](#) or [Mini-CAN](#) contactless reader (look for a pair of twisted wires near vehicle ECU) .



After a successful scan, a list of compatible program numbers will be displayed. The first program

number will be saved in device internal CAN chip and device configuration. Available parameters will be highlighted in green. You can try entering each of the scanned numbers into device configuration to see which parameters are available and which suggestion works best for the vehicle.

Teltonika.Configurator v1.5.5.29406

TELTONIKA

Load from device | Save to device | Update firmware | Reset configuration
 Load from file | Save to file | Read records | Reboot device

IMEI: 03.25.15 Rev:143
 Configuration: 6.1.15.0

Program Number AutoScan: Scan 11137, Set 11118
 CAN Adapter Settings: Send data with 0, if ignition is off | Program Number 11137 | DTC request period(min) 0
 [Disable] [Enable]

can data

Input Name	Current Value	Units	Priority	Low Level	High Level	Event Only	Op
Vehicle Speed	0	km/h	None Low High Panic	0	0	Crash Yes No	Ms
Acceleration Pedal Position	0	%	None Low High Panic	0	0	Crash Yes No	Ms
Fuel Consumed	-	ltr	None Low High Panic	0	0	Crash Yes No	Ms
Fuel Level	360	ltr×10	None Low High Panic	0	0	Crash Yes No	Ms
Engine RPM	831	rpm	None Low High Panic	0	0	Crash Yes No	Ms
Total Mileage	224506000	m	None Low High Panic	0	14	Crash Yes No	Ms
Fuel Level	-	%	None Low High Panic	0	0	Crash Yes No	Ms
Door Status	8704		None Low High Panic	0	0	Crash Yes No	Ms
Program Number	11137		None Low High Panic	0	0	Crash Yes No	Ms
Module ID 17B	0x5E266F351287C9E2F9F6FD57F2C5B04604		None Low High Panic			Crash Yes No	Ms
Module ID 8B	-		None Low High Panic	0	0	Crash Yes No	Ms
Engine Worktime	-	min	None Low High Panic	0	0	Crash Yes No	Ms
Engine Worktime (counted)	-	min	None Low High Panic	0	0	Crash Yes No	Ms
Total Mileage (counted)	1372250	m	None Low High Panic	0	0	Crash Yes No	Ms

Navigation icons: Home, Facebook, Twitter, LinkedIn, etc.