

FMB125 Product Change Notifications

[Main Page](#) > [Professional Trackers](#) > [FMB125](#) > **FMB125 Product Change Notifications**

Product change notifications (PCN) is the way of informing customers of upcoming changes related to Teltonika products. This includes outward appearance adjustments, hardware improvements, firmware changes, changes to package contents, etc. This page stores information regarding changes to the FMB125 tracking device. Below you will find a list of both upcoming and already implemented changes sorted from newest to oldest (top to bottom).



Contents

- [1 2023.03.01: GNSS antenna changes](#)
- [2 2023.02.02: Changes in side frame for the battery placement](#)
- [3 2023.01.01: SMA soldering changes](#)
- [4 2022.08.01: Base firmware update](#)
- [5 2021.08.13: Base firmware update](#)
- [6 2021.05.17: Base firmware update](#)
- [7 2021.02.08: Bluetooth® Improvement](#)
- [8 2021.02.08: Base firmware update](#)
- [9 2021.01.01: Top Laser Printing Changes](#)
- [10 2020.11.24: GNSS antenna changes](#)
- [11 2020.01.22: Base firmware update](#)
- [12 2019.12.02: Top Device Marking Changes](#)
- [13 2019.08.14: Different FMB125 GNSS antenna connection type](#)
- [14 2019.07.22: new no brand Eco friendly boxes](#)
- [15 2019.06.14: Device module information display changes](#)
- [16 2019.05.02: new eco friendly box](#)
- [17 2019.04.10: IMEI/SN display on device Changes](#)
- [18 2019.03.01: new eco friendly box](#)
- [19 2019.02.08: new FMB125 case design and new GNSS antenna connection](#)
- [20 2019.02.20: Top Tampography Changes](#)

2023.03.01: GNSS antenna changes

We would like to update you regarding the changes in GNSS antenna for FMB125, which will now take effect in March 2023. From March 2023 to August 2023, the latest version of GNSS antennas will be provided, and after August 2023, the older version of antennas will be supplied.

Change description

Change type

Internal

Mechanical part changes

Old version:



Dimensions - 46x44x13 mm

Center frequency - 1575.42 MHz, 1602 MHz Bandwidth - 35 MHz

VSWR on bandwidth - <1.9

GAIN - 3 dB

LNA minimum gain - 26.5 dB

LNA maximum gain - 29.5 dB Consumption - 9 mA

New version:



Dimensions - 45.2x35.8x15.1 mm

Center frequency - 1575.42 MHz, 1602 MHz Bandwidth - 10 MHz

VSWR on bandwidth - <1.5

GAIN - 2 dB

LNA minimum gain - 26 dB

LNA maximum gain - 30 dB



Consumption - 11 mA

Detailed description

| | | |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| Change reasons | Reaction to antenna market volatility. | |
| Product release date | March, 2023 | |
| Affected products | | |
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125*****order codes | No changes |
| Change impact | | |
| Risk assessment | Up until August 2023, the latest model of GNSS antennas will be provided, after which point the older version of antennas will be supplied. | |
| Suggested implementation plan | No implementation plan needed. | |



2023.02.02: Changes in side frame for the battery placement


We would like to inform you that the side frame for the battery placement is included, helping to determine the exact location of the battery. Also, minor design changes are made to improve both case production and case assembly. These changes affect FMB110, FMB120, FMB122, FMB125, FMC125, FMM125, FMB130, FMC130, FMM130, FMB140, FMB150, FMC150, and FMM150 devices. The updates in the factory are being implemented in February, 2023.

| | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| Change description | | |
| Change type | Internal | |
| Detailed description | <p>The side frame for the battery placement is included, helping to determine the exact location of the battery. Also, minor design changes are made to improve both case production and case assembly. These changes affect FMB110, FMB120, FMB122, FMB125, FMC125, FMM125, FMB130, FMC130, FMM130, FMB140, FMB150, FMC150, and FMM150 devices.</p> <div><div>Old Version:</div><div></div><div>New Version:</div><div></div></div> | |
| Change reasons | <p>The battery placement is improved with a side frame, helping to determine the exact location of the battery. Minor design changes are made for case production and case assembly. These changes affect FMB110, FMB120, FMB122, FMB125, FMC125, FMM125, FMB130, FMC130, FMM130, FMB140, FMB150, FMC150, and FMM150 devices.</p> | |
| Product release date | February, 2023 | |
| Affected products | | |
| Model | Affected order codes | Order code changes |
| FMB110, FMB120, FMB122, FMB125, FMC125, FMM125, FMB130, FMC130, FMM130, FMB140, FMB150, FMC150, FMM150 | FMB110, FMB120, FMB122, FMB125, FMC125, FMM125, FMB130, FMC130, FMM130, FMB140, FMB150, FMC150, FMM150 all codes | Updated the battery placement with the side frame as well as minor design changes for case production and assembly |
| Change impact | | |
| Risk assessment | During the transition period clients might receive devices with old case design used in manufacture | |
| Suggested implementation plan | Due to changes in device appearance we strongly recommend to contact your customs agent with our change log information, to avoid any unexpected delays in customs clearance process. | |
| Acknowledgement of PCN receipt | | |
| If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has tactically accepted and can implement the change as indicated above. | | |

2023.01.01: SMA soldering changes

We would like to inform you that Antenna connectors (SMA SMD type) in FMB125 devices will be soldered from both sides of PCB starting from January 2023.

| | | |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Change description | | |
| Change type | Internal | |
| Detailed description | Old version:  | New version:  |
| Change reasons | In order to increase the structural rigidity and unify the manufacturing process of Teltonika IoT Group devices, SMA connector will be soldered on the top side of PCB (same as before) and on the bottom side of PCB (performed additionally). | |
| Product release date | January, 2023 | |
| Affected products | | |
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** | SMA soldering changes |
| Change impact | | |

| | |
|-------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | Due to THT assembly process, some devices might have an excess amount of soldering on the SMA connector. This does not affect GSM/GNSS antenna characteristics and does not interfere with device case assembly, therefore, device functionality remains unchanged.  |
| Suggested implementation plan | No implementation plan needed |

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above.

2022.08.01: Base firmware update

We would like to inform you about the base firmware update for FMB125 starting from August 1st, 2022. New production firmware version will be 03.27.13.Rev.03

Change description

| | | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Change type | Firmware update | |
| Detailed description | Key improvements from last production firmware are listed in errata: https://wiki.teltonika-gps.com/view/FMB125_firmware_errata | |
| | Old version: FMB125 03.27.07.Rev.00 | New version: FMB125 03.27.13.Rev.03 |
| Change reasons | FMB125 base firmware version update | |
| Product release date | 2022 August | |

Affected products

| | | |
|--------|--------------------------------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** order codes with base Firmware | Update firmware |

Change impact

| | | |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Risk assessment | Client's special firmware versions or order codes with special firmware will not be updated to latest base firmware automatically. During the transition period clients might receive devices with previous Firmware version used in manufacture. | |
| Suggested implementation plan | If you are using special firmware version and would like an upgrade to new features of latest base firmware, please contact your Teltonika sales manager. | |

2021.08.13: Base firmware update

We would like to inform you about the base firmware update for FMB125 starting from August 13th, 2021. New production firmware version will be 03.27.07.Rev.00

Change description

| | | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Change type | Firmware update | |
| Detailed description | Key improvements from last production firmware are listed in errata: https://wiki.teltonika-gps.com/view/FMB125_firmware_errata | |
| | Old version: FMB125 03.25.18.Rev.08 | New version: FMB125 03.27.07.Rev.00 |
| Change reasons | FMB125 base firmware version update | |
| Product release date | 2021 August | |

Affected products

| | | |
|--------|--------------------------------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** order codes with base Firmware | Update firmware |

2021.05.17: Base firmware update

We would like to inform you about the base firmware update for FMB125 starting from May 17th, 2021. New production firmware version will be **03.25.18.Rev.08**.

Change description

| | | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| Change type | Firmware update | |
| Detailed description | Key improvements from last production firmware are listed in errata: https://wiki.teltonika-gps.com/view/FMB125_firmware_errata | |
| | Old version: 03.25.18.Rev.05 | New version: 03.25.18.Rev.08 |
| Change reasons | FMB125 base firmware version update | |
| Product release date | 2021 May. | |

Affected products

| | | |
|--------|--------------------------------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** order codes with base Firmware | Update firmware |

Change impact

| | | |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Risk assessment | Client's special firmware versions or order codes with special firmware will not be updated to latest base firmware automatically. During the transition period clients might receive devices with previous Firmware version used in manufacture. | |
| Suggested implementation plan | If you are using special firmware version and would like an upgrade to new features of latest base firmware, please contact your Teltonika sales manager. | |

2021.02.08: Bluetooth® Improvement

We would like to inform you, that Bluetooth® performance for the FMB125 device will be updated in the factory from March 2021.

Change description

| | | |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Change type | Internal | |
| Detailed description | Bluetooth® antennas are improved for FMB110, FMB120, FMB122, and FMB125 devices ensuring better signal strength. The efficiency of Bluetooth® antennas is considerably increased when receiving or transferring data. | |
| Change reasons | Following the changes, the capabilities of our devices will be greatly improved to provide better performance when Bluetooth® signal is obstructed or longer distance coverage is required | |
| Product release date | March 2021 | |

Affected products

| | | |
|--------|--------------------------------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** order codes with base Firmware | No changes |

Change impact

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | Due to changes in device appearance we strongly recommend to contact your customs agent with our change log information, to avoid any unexpected delays in customs clearance process |

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2021.02.08: Base firmware update

We would like to inform you about the base firmware update for FMB125 starting from February 26th, 2021. New production firmware version will be **03.25.18.Rev.05**.

Change description

| | | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Change type | Firmware update | |
| Detailed description | Key improvements from last production firmware are listed in errata: https://wiki.teltonika-gps.com/view/FMB125_firmware_errata | |
| Change reasons | Old version: FMB125 03.25.15.Rev.32 | New version: FMB125 03.25.18.Rev.05 |
| Product release date | FMB125 base firmware version update 2021 February 26th. | |

Affected products

| | | |
|--------|--------------------------------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** order codes with base Firmware | Update firmware |

Change impact

| | |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | Client's special firmware versions or order codes with special firmware will not be updated to latest base firmware automatically |
| Suggested implementation plan | If you are using special firmware version and would like an upgrade to new features of latest base firmware, please contact your Teltonika sales manager. |

2021.01.01: Top Laser Printing Changes

We would like to inform you, that laser printing of the FMB125 device was updated in the factory in January 2021.

Change description

| | |
|-------------|-----------------------------------|
| Change type | External/visual |
| | Top laser printing design changed |
| | Old version: |



New version:

Change reasons 1. Updated Emark certificate number.
2. Added UKCA label.
3. Updated Teltonika brand to Teltonika Telematics.

Product release date January 2021

Affected products

| Model | Affected order codes | Order code changes |
|--------|----------------------|--------------------|
| FMB125 | FMB125***** | New casing |

Change impact

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | Due to changes in device appearance we strongly recommend to contact your customs agent with our change log information, to avoid any unexpected delays in customs clearance process |



Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2020.11.24: GNSS antenna changes

We would like to inform you about the GNSS antenna changes for FMB125 starting from late December 2020 - early January 2021.

Change description

| | | | | | | | | | | | | | | | | | |
|------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|--------------------------|------------------------------------------|-------------------------------------------------|--------------------|---------------------------|--------------------------|--------------------------|-------------|-------------|--------------------------|----------------------------|--------------------------|----------------------------|---------------------|---------------------------|
| Change type | Mechanical part changes | | | | | | | | | | | | | | | | |
| | Old version:  New version:  | | | | | | | | | | | | | | | | |
| Detailed description | <table><tbody><tr><td>Dimensions - 45.2x35.8x15.1 mm</td><td>Dimensions - 46x44x13 mm</td></tr><tr><td>Center frequency - 1575.42 MHz, 1600 MHz</td><td>Center frequency - 1575.42 MHz, 1602 MHz</td></tr><tr><td>Bandwidth - 10 MHz</td><td>Bandwidth - 35 MHz</td></tr><tr><td>VSWR on bandwidth - <1.5</td><td>VSWR on bandwidth - <1.9</td></tr><tr><td>GAIN - 3 dB</td><td>GAIN - 3 dB</td></tr><tr><td>LNA minimum gain - 26 dB</td><td>LNA minimum gain - 26.5 dB</td></tr><tr><td>LNA maximum gain - 30 dB</td><td>LNA maximum gain - 29.5 dB</td></tr><tr><td>Consumption - 11 mA</td><td>Consumption - 9 mA</td></tr></tbody></table> | Dimensions - 45.2x35.8x15.1 mm | Dimensions - 46x44x13 mm | Center frequency - 1575.42 MHz, 1600 MHz | Center frequency - 1575.42 MHz, 1602 MHz | Bandwidth - 10 MHz | Bandwidth - 35 MHz | VSWR on bandwidth - <1.5 | VSWR on bandwidth - <1.9 | GAIN - 3 dB | GAIN - 3 dB | LNA minimum gain - 26 dB | LNA minimum gain - 26.5 dB | LNA maximum gain - 30 dB | LNA maximum gain - 29.5 dB | Consumption - 11 mA | Consumption - 9 mA |
| Dimensions - 45.2x35.8x15.1 mm | Dimensions - 46x44x13 mm | | | | | | | | | | | | | | | | |
| Center frequency - 1575.42 MHz, 1600 MHz | Center frequency - 1575.42 MHz, 1602 MHz | | | | | | | | | | | | | | | | |
| Bandwidth - 10 MHz | Bandwidth - 35 MHz | | | | | | | | | | | | | | | | |
| VSWR on bandwidth - <1.5 | VSWR on bandwidth - <1.9 | | | | | | | | | | | | | | | | |
| GAIN - 3 dB | GAIN - 3 dB | | | | | | | | | | | | | | | | |
| LNA minimum gain - 26 dB | LNA minimum gain - 26.5 dB | | | | | | | | | | | | | | | | |
| LNA maximum gain - 30 dB | LNA maximum gain - 29.5 dB | | | | | | | | | | | | | | | | |
| Consumption - 11 mA | Consumption - 9 mA | | | | | | | | | | | | | | | | |
| Change reasons | According to technical comparison new antenna is better by next parameters: center frequency, bandwidth, consumption. Other parameters are the same. Moreover, the new antenna is thinner, which gives the opportunity to mount it, where it was not possible before and makes installation easier. | | | | | | | | | | | | | | | | |
| Product release date | Late December 2020 - Early January 2021 | | | | | | | | | | | | | | | | |

Affected products

| Model | Affected order codes | Order code changes |
|--------|------------------------|--------------------|
| FMB125 | FMB125*****order codes | No changes |

Change impact

| | |
|-------------------------------|----------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | No implementation plan needed |

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2020.01.22: Base firmware update

We would like to inform you about the base firmware update for FMB125 starting from January 22th, 2020. New production firmware version will be **03.25.15.Rev.01**.

Change description

| | | |
|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|
| Change type | Firmware update | |
| Detailed description | Key improvements from last production firmware are listed in errata: https://wiki.teltonika-gps.com/view/FMB125_firmware_errata | |
| Change reasons | Old version: FMB125 03.25.05.Rev.00 | New version: FMB125 03.25.15.Rev.01 |
| Product release date | FMB125 base firmware version update 2020 January 22th. | |

Affected products

| | | |
|--------|--------------------------------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** order codes with base Firmware | Update firmware |



Change impact

| | | |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| Risk assessment | Client's special firmware versions or order codes with special firmware will not be updated to latest base firmware automatically | |
| Suggested implementation plan | If you are using special firmware version and would like an upgrade to new features of latest base firmware, please contact your Teltonika sales manager. | |

2019.12.02: Top Device Marking Changes

We would like to inform you, that tampography of the FMB125 device was updated to engraving in the factory on the 2nd of December.

Change description

| | | |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Change type | External/visual | |
| Detailed description | Device marking changed from tampography to laser printing. Information provided on module will remain the same | |
| Change reasons | Old Version:  | New Version:  |
| Product release date | To improve manufacturing speed, efficiency and reliability To increase quality, precision and durability of marking. Planned date: 2019 December | |

Affected products

| | | |
|--------|----------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** | No changes |

Change impact

| | |
|-------------------------------|----------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | No implementation plan needed |



Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2019.08.14: Different FMB125 GNSS antenna connection type

Effective August 2019, FMB125 trackers will be shipped with **different GNSS antenna connection**.

Change description

| | | |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Change type | GNSS antenna | |
| Detailed description | Different GNSS antenna connection type MMCX -> SMA | |
| Change reasons | Old version:  | New version:  |
| Product release date | With respect to customer feedback, we decide to return the SMA connectors The new GNSS antenna connection type will be used from the time when the stock will be sold all leftovers. | |

Affected products

| | | |
|--------|----------------------|----------------------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** | GNSS antenna with SMA connection |

Change impact

Risk assessment No risk factors encountered with this change

Suggested implementation plan No implementation plan needed





Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2019.07.22: new no brand Eco friendly boxes

Effective September 2019, FMB125 trackers with no brand packaging will be shipped with a **new no brand eco-friendly box**.

Change description

| | | | |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Change type | Packaging Improved and more environmentally friendly packaging box Old single packaging version:  | | New single packaging version:  |
| Detailed description | Dimensions: 165 (W) x 145 (D) x 35 (H) Old group packaging version:  | | Dimensions: 175 (W) x 150 (D) x 35 (H) New group packaging version:  |
| Change reasons | Dimensions: 355 (W) x 175 (D) x 60 (H) The new box is better for the environment | | Dimensions: 355 (W) x 175 (D) x 60 (H) |
| Product release date | Devices with new packaging will be released in manufacturing from September with 2 months of transition period. Over this period devices with white packaging can be delivered as well as devices with the new eco boxes. | | |

Affected products

| | | |
|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB001, FMB010, FMB100, FMB110, FMB120, FMB122, FMB125, FMB202, FMB204, FMB900, FMB920, FMB964, FMT100, FMB130, MTB100. | FMB001*****, FMB010*****, FMB100*****, FMB110*****, FMB120*****, FMB122*****, FMB125*****, FMB202*****, FMB204*****, FMB900*****, FMB920*****, FMB964*****, FMT100*****, FMB130*****, MTB100****. | No changes |

Change impact

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | Due to the new look of boxes we strongly recommend to update your marketing materials. Because of the new color of the packaging box, if necessary, update your branding materials (stickers, logo layouts). |



Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2019.06.14: Device module information display changes

We would like to inform you, that the information display on device module TM2500 will be updated in the factory from July 2019.

Change description

| | | |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Change type | External/visual Information display on TM2500 module will change from sticker to laser print. Information provided on module will remain the same. | |
| Detailed description | Old Version:  | New Version:  |
| Change reasons | Laser printing will increase reliability, speed, and will reduce paper waste. | |
| Product release date | Devices with new module marking will be released in manufacturing from July with 2 months of transition period. Over this period devices with sticker can be delivered as well as devices with laser print. | |
| Affected products | | |
| Model | Affected order codes | Order code changes |

FMB001, FMB010, FMB100, FMB110, FMB120, FMB122, FMB125, FMB202, FMB204, FMB900, FMB920, FMB964, FMT100, FMB640, FMB130, MTB100, TMT250, GH5200.

FMB001*****, FMB010*****, FMB100*****, FMB110*****, FMB120*****, FMB122*****, FMB125*****, FMB202*****, FMB204*****, FMB900*****, FMB920*****, FMB964*****, FMT100*****, FMB640*****, TMT250*****, FMB130*****, MTB100*****, GH5200*****.

No changes

Change impact

Risk assessment

The change will not affect clients. All the module characteristics will remain unchanged. The only sticker on module will be changed to laser print. The displayed information will remain the same.

Suggested implementation plan.

Due to changes in device appearance we strongly recommend to contact your customs agent with our change log information, to avoid any unexpected delays in the customs clearance process.

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

To download the pdf version of this notification, [click here](#).

2019.05.02: new eco friendly box

Effective May 2019 week 20, FMB125 trackers will be packed with a **new eco-friendly box**.

Change description

Change type

Packaging

Detailed description

Improved and more environmentally friendly packaging box

Old version:



New version:



Change reasons

The new box is better for the environment

Product release date

May 2019, week 20

2019.04.10: IMEI/SN display on device Changes

We would like to inform you, that IMEI/SN info display on the FMB125 device will be updated in the factory from June 2019.

Change description

Change type

External/visual

IMEI/SN info on device display change from barcode to QR

Old Version:



New Version:



This change will not affect device packing and logistic lists. It will remain as barcode.

Detailed description



Change reasons

QR format will increase reliability and minimize error rate, because of the error correction feature and improved reading in low contrast.

Product release date

Devices with new QR Code format will be released in manufacturing from June with 2 months of transition period. Over this period devices with barcode can be delivered as well as devices with QR code.

Affected products

Model

Affected order codes

Order code changes

FMB125

FMB125*****

No changes

Change impact

Risk assessment

Risk assessment for devices management required

Suggested implementation plan

Due to changes in device information display we strongly recommend to check, and prepare your tools to read QR codes.

Acknowledgement of PCN receipt



If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

To download the pdf version of this notification, [click here](#).

2019.03.01: new eco friendly box

Effective March 2019, FMB125 trackers will be shipped with a **new eco-friendly box**.

Change description

| | | |
|----------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| Change type | Packaging | |
| Detailed description | Improved and more environmentally friendly packaging box | |
| | Old version: | New version: |
| |  |  |
| Change reasons | The new box is better for the environment | |
| Product release date | March 2019 | |

Affected products

| | | |
|--------|----------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** | No changes |

Change impact

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | Due to changes in device appearance we strongly recommend to contact your customs agent with our change log information, to avoid any unexpected delays in customs clearance process |



Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2019.02.08: new FMB125 case design and new GNSS antenna connection

Effective March 2019, FMB125 trackers will be shipped with **new case design and GNSS antenna connection**.

Change description

| | | |
|----------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Change type | Case and GNSS antenna | |
| | New case design and new GNSS antenna connection type SMA -> MMCX | |
| Detailed description | Old version: | New version: |
| |  |  Note: To properly open a new case please watch this video . |
| Change reasons | The new FMB125 case is more ergonomic. | |
| Product release date | March 2019 | |

Affected products

| | | |
|--------|----------------------|-----------------------------------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** | New casing, GNSS antenna with MMCX connection |

Change impact

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | Due to changes in device appearance we strongly recommend to contact your customs agent with our change log information, to avoid any unexpected delays in customs clearance process |



Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

2019.02.20: Top Tampography Changes

We would like to inform you, that tampography of the FMB125 device was updated in the factory on the 20th of February.

Change description

| | | |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Change type | External/visual | |
| | Top tampography design changed | |
| Detailed description | Old Version:  | New Version:  |
| Change reasons | <ol style="list-style-type: none">1. Updated Teltonika address to Saltoniskiu st. 9B-12. Added WEEE label.(WEEE - Waste from Electrical and Electronic Equipment)3. Updated antenna marking | |
| Product release date | Updated tampographs will be used from the time when the stock will be sold all leftovers. Planned date: week 12 | |

Affected products

| | | |
|--------|----------------------|--------------------|
| Model | Affected order codes | Order code changes |
| FMB125 | FMB125***** | No changes |

Change impact

| | |
|-------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Risk assessment | No risk factors encountered with this change |
| Suggested implementation plan | Due to changes in device appearance we strongly recommend to contact your customs agent with our change log information, to avoid any unexpected delays in customs clearance process |

Acknowledgement of PCN receipt

If no feedback is received within two weeks after the issue date of this notification - Teltonika may accept that this change has been tacitly accepted and can implement the change as indicated above

To download the pdf version of this notification, [click here](#).