

TMT250 Stable firmware

[Main Page](#) > [Autonomous Trackers](#) > [TMT250](#) > [TMT250 Firmware and configurator](#) > **TMT250 Stable firmware**

FIRMWARE VERSION:	STABLE B55.2 FIRMWARE	55.02.03 Rev.05	DOWNLOAD
CONFIGURATOR VERSION:		1.7.66 B.55.2_R.10	DOWNLOAD
RELEASE DATE:		2024-12-13	DOWNLOAD

CHANGELOG

VERSION	RELEASE DATE	CONFIGURATOR CHANGES	FIRMWARE CHANGES
55.02.03.Rev.05 1.7.66 B.55.2 R.10	2024-01-30	<ul style="list-style-type: none">• [CHN] Added new AVL ID's SMS events tab• [FIX] Fixed Online vs Offline configuration discrepancies• [FIX] Fixed Ultra Deep Sleep naming mismatch• [FIX] Fixed Tool Tips inaccuracies• [ADD] Added EYE Sensors support settings and filtering by sensors name and MAC address• [CHN] Changed device wiki links to teltonika-gps• [CHN] Moved EYE Sensor I/O settings to Bluetooth 4.0 tab• [FIX] Fixed Roaming operator/Operator Black List .csv file importing• [FIX] Fixed Maximum GPS Satellites Quantity parameter (ID: 906) value• [ADD] Added configurable accelerometer sensitivity settings• [ADD] Added continuous battery charging mode• [CHN] Changed minimum BLE scan start period value	<ul style="list-style-type: none">• [CHN] Added possibility to send SMS AVL ID event to few numbers• [FIX] Fixed sensors scanning issue, then Beacon Detection is Disabled or set to beacons No Send mode.• [ADD] Added CSQ level parameter• [ADD] Added , shutdown' SMS/GPRS command to power off device• [FIX] Added configurable accelerometer sensitivity options in sleep mode• [FIX] Fixed ,btgetlist 3' SMS command• [FIX] Changed battery voltage measurement and charging algorithm• [ADD] Added EYE Sensor support• [ADD] BLE Sensors Custom field data are displayed in decimal now• [FIX] Fixed batteries percentage calculation when voltage is Fully charged• [FIX] Refactored battery percentage limits checking algorithm• [FIX] Fixed battery charging status• [FIX] Fixed BT records generation issue, when BLE devices feature is disabled• [FIX] Fixed beacon buffer cleanup after the end of BLE scanning or periodic beacon record creation.• [FIX] Fixed GSM established LED indication turning off issue• [CHN] Changed minimum BLE scan start period configuration value.
VERSION	RELEASE DATE	CONFIGURATOR CHANGES	FIRMWARE CHANGES

55.02.03. Rev 05 1.7.66_B. 55.2_R.1 0	2023-12-13	<ul style="list-style-type: none"> • [CHN] Added new AVL IDs SMS events tab • [FIX] Fixed Online vs Offline configuration discrepancies • [FIX] Fixed Ultra Deep Sleep naming mismatch • [FIX] Fixed Tool Tips inaccuracies • [ADD] Added EYE sensors support settings and filtering by sensor's name and MAC address • [CHN] Changed device wiki links to teltonika-gps • [CHN] Moved EYE Sensor I/O settings to Bluetooth 4.0 tab. • [FIX] Fixed Roaming operator/Operator Black list .csv file importing • [FIX] Fixed Maximum GPS Satellites Quantity parameter (ID: 906) value • [ADD] Added configurable accelerometer sensitivity settings • [ADD] Added continuous battery charging mode • [CHN] Changed minimum BLE scan start period value. 	<ul style="list-style-type: none"> • [CHN] Added possibility to send SMS AVL ID event to few numbers • [FIX] Fixed sensors scanning issue, then Beacon Detection is Disabled or set to beacons No Send mode. • [ADD] Added CSQ level parameter • [ADD] Added , shutdown' SMS/GPRS command to power off device • [ADD] Added configurable accelerometer sensitivity options in sleep mode • [FIX] Fixed ,btgetlist 3' SMS command • [FIX] Changed battery voltage measurement and charging algorithm • [ADD] Added EYE sensor support • [ADD] BLE sensors Custom field data are displayed in decimal now • [FIX] Fixed batteries percentage calculation when voltage is Fully charged • [FIX] Refactored battery percentage limits checking algorithm • [FIX] Fixed battery charging status • [FIX] Fixed BT records generation issue, when BLE devices feature is disabled • [FIX] Fixed beacon buffer cleanup after the end of BLE scanning or periodic beacon record creation. • [FIX] Fixed GSM established LED indication turning off issue • [CHN] Changed minimum BLE scan start period configuration value.
--	------------	---	--

VERSION	RELEASE DATE	CONFIGURATOR CHANGES	FIRMWARE CHANGES
55.01.02.Rev.01 1.6.11_R.30	2021.10.25	<ul style="list-style-type: none"> • Change No Movement/Movement event SMS text • Added Race Mode feature 	<ul style="list-style-type: none"> • Added Race Mode for GNSS data live tracking • Fixed LED indication stuck when Man-Down Cancel button is pressed • Fixed FW version display in FOTA WEB • Fixed possibility to configure forbidden GNSS source via SMS or GPRS • Fixed fake movement events when Low power mode is used • Fixed BLE scan stuck when Xiaomi bracelet is used • Fixed restarts when Beacon on Demand feature is used for longer time • Fixed Alarm call delay issue • Fixed FW update issue with XT26G01CWSIGT flash • Added XT26G01CWSIGT and GD5F1GQ5UE NAND flash support • Changed minimum charging temperature from -10°C to 1°C • SMS commands will return time with applied time zone • The maximum battery charging temperature changed from 50°C to 45°C • Maximum operating temperature changed from 65°C to 59°C

55.00.21.Rev.00 1.6.11_R.26	2021.08.10	<ul style="list-style-type: none"> • 'Data Acquisition' tool tips and labels changed. • Changed BLE 'Update frequency' name and tool tips. • Fixed 'Beacon on demand' labels. 	<ul style="list-style-type: none"> • Added possibility to Enable or Disable Mandown/Movement/No Movement features while charging. • Accelerometer and movement detection improvements. • Fixed invalid SMS number when reporting position after call.
55.00.18.Rev.02 1.6.11_R.23	2021.05.13	<ul style="list-style-type: none"> • No changes 	<ul style="list-style-type: none"> • Fixed issue which occurred during manufactory testing phase with Ver.55.00.18.Rev.01 where device could end with GNSS State = 0
55.00.18.Rev.01 1.6.11_R.23	2021.05.07	<ul style="list-style-type: none"> • Increased Beacon List from 25 to 100 • Added On Demand Tracking On/Off/Switch button action • Added On Demand Tracking event indication settings 	<ul style="list-style-type: none"> • Increased Configured beacons count from 25 to 100 • If Beacon record sending is configured to be 'Eventual', send only if device sees any beacons • Improved Power On/Off feature notifications • Power save mode is working with Data Acquisition time 60s and above • On Demand Tracking functionality improved with button control and On Demand Tracking event indication
55.00.10.Rev.01 1.6.11_R.16	2020.11.13	<ul style="list-style-type: none"> • Added Last Known Position feature settings • Added Power On/Off event settings • Added Power off with Power key settings • Added Custom BLE I/O parameters 	<ul style="list-style-type: none"> • Added Last Known Position feature on HIGH priority event (alarm, amber alert, man-down, etc). • When device gains current GPS position after HIGH priority event was generated, device sends another HIGH priority event with updated position and GPS fix timestamp. • Reworked GNSS status SMS template. • Fixed issue of data acquisition parameters reset to default values.
55.00.07.Rev.09 1.5.15_C.002	2020.10.20	<ul style="list-style-type: none"> • Minor changes 	<ul style="list-style-type: none"> • Important change of charging algorithm. This algorithm provides higher safety and prolonging battery's life longevity. • Corrected battery display in percentage • Improved charging current from PC.
55.00.07.Rev.07 1.5.15_C.002	2020.09.16	<ul style="list-style-type: none"> • Minor changes 	<ul style="list-style-type: none"> • Lowered battery charging current from wall charger to 425mA. • Fixed battery LED indication when battery is fully charged.
55.00.07.Rev.02 1.5.15_C.002	2020.03.17	<ul style="list-style-type: none"> • Added Man-Down Event On Exit and On Entrance parameters 	<ul style="list-style-type: none"> • Updated Server IP and Port saving procedures. • Reworked Generate Event On Exit and On Entrance logic. • Reworked handheld devices switching between Charging and Normal modes. • Reworked User ID values scan after device is turn off/on. • Reworked Button I/O on-click event.

55.00.05.Rev. 00 1.5.0_C.007	2020.02. 13	<ul style="list-style-type: none"> • Removed unnecessary Low Power parameters • Removed unnecessary Time Synchronization settings • Implemented On Demand tracking functionality • Removed unnecessary Number Check Settings panel • Implemented Event Notification functionality • Implemented User ID functionality • Improved BLE beacon functionality • Implemented Beacon List functionality • Improved User Interface configuration panel • Improved Keyboard configuration panel • Implemented Button IO feature • Updated default settings 	<ul style="list-style-type: none"> • Reworked User Interface configuration. • Reworked Keyboard configuration. • Implemented Event Notification panel. • Implemented Call After Answer functionality • Implemented User ID functionality. • Implemented On Demand data acquisition functionality. • Implemented Button IO Feature. • Optimized wake up from deep sleep by movement. • Updated default settings. • Improved BLE compatibility with beacons.
---	----------------	--	--
